



**HENRAD**

The Radiator



PRODUCT RANGE

Beautiful radiators  
for modern living



# Verona



Offering visual appeal combined with advanced technology, the Verona provides a contemporary solution for a huge range of applications.

With a choice of four types and a variety of sizes and outputs, the Verona allows extensive flexibility of siting, whilst breaking new barriers in heating efficiency.

For prices please contact your local independent stockist

Verona Single Plane



Verona Double Plane

## Verona Single Plane

Height mm	Length mm	Henrad Code	Heat emissions			
			DT50°C		DT62°C	
			Watts	Btu/hr	Watts	Btu/hr
<b>588</b>	500	248363	500	1706	665	2267
	600	248364	599	2044	796	2716
	700	248365	699	2385	929	3170
	800	248366	799	2727	1062	3624
	1000	248368	999	3409	1328	4531
	1200	248370	1199	4092	1593	5438
	1400	248371	1399	4775	1859	6346
	1600	248372	1598	5452	2124	7246
	1800	248373	1798	6135	2390	8153
	2000	248374	1998	6817	2655	9060

## Verona Double Plane

Height mm	Length mm	Henrad Code	Heat emissions			
			DT50°C		DT62°C	
			Watts	Btu/hr	Watts	Btu/hr
<b>588</b>	600	248415	992	3385	1318	4499
	700	248416	1158	3951	1539	5251
	800	248417	1323	4514	1758	5999
	900	248418	1489	5080	1979	6751
	1000	248419	1654	5643	2198	7500
	1200	248421	1985	6773	2638	9001
	1400	248422	2316	7902	3078	10502
	1600	248423	2646	9028	3517	11998
	1800	248424	2977	10158	3956	13499
	2000	248425	3308	11287	4396	15000

Working pressure:  
Tested to withstand 6 bar



Verona Vertical

## Verona Vertical

Height mm	Length mm	Henrad Code	Heat emissions			
			DT50°C		DT62°C	
			Watts	Btu/hr	Watts	Btu/hr
<b>1800</b>	440	248340	780	2662	1037	3538
	588	248341	1040	3549	1382	4717
	736	248342	1300	4436	1728	5895
<b>2000</b>	440	248343	870	2969	1156	3946
	588	248344	1160	3959	1542	5262
	736	248345	1450	4947	1927	6575

# Verona



## Verona Lo-Line

Verona Lo-Line



Height mm	Length mm	Henrad Code	Heat emissions			
			DT50°C Watts	DT50°C Btu/hr	DT62°C Watts	DT62°C Btu/hr
<b>144</b>	800	248581	530	1809	704	2404
	1400	248311	928	3166	1233	4208
	2000	248314	1326	4524	1762	6012
	2200	248315	1459	4979	1939	6617
<b>292</b>	2200	248323	2468	8423	3280	11194

Working pressure:  
Tested to withstand 6 bar



Offering visual appeal combined with advanced technology, the Verona provides a contemporary solution for a huge range of applications.

With a choice of four types and a variety of sizes and outputs, the Verona allows extensive flexibility of siting, whilst breaking new barriers in heating efficiency.

For prices please contact your local independent stockist



Verona Slimline

## Verona Slimline

Height mm	Length mm	Henrad Code	Heat emissions			
			DT50°C		DT62°C	
			Watts	Btu/hr	Watts	Btu/hr
<b>1800</b>	320	248300	872	2976	1159	3955
	440	248301	1199	4092	1593	5438
	520	248302	1417	4836	1883	6427
	640	248303	1744	5952	2318	7910
<b>2000</b>	320	248304	978	3338	1300	4436
	440	248305	1344	4587	1786	6096
	520	248306	1589	5423	2112	7207
	640	248307	1956	6675	2600	8871

Working pressure:  
Tested to withstand 6 bar



# Column



The most modern execution of a traditional concept, this classic style brings innovation and reliability to a high performance design.

Vertical and horizontal options offer a modern alternative to a traditional panel radiator, and will enhance both contemporary and traditional settings.

For prices please contact your local independent stockist

## Column 2

Height mm	Length mm	Henrad Code	Heat emissions			
			DT50°C		DT62°C	
			Watts	Btu/hr	Watts	Btu/hr
500	628	263012	499	1703	663	2263
	628	263028	589	2010	783	2671
600	858	263029	815	2783	1083	3699
	1042	263030	997	3401	1325	4520
	1272	263031	1223	4174	1625	5547
1800	352	263054	868	2962	1154	3936
	444	263055	1116	3808	1483	5061
2000	352	263056	1197	4084	1591	5428
	444	263057	1242	4239	1651	5634

Working pressure:  
Tested to withstand 8 bar



Column 2 Vertical



## Column 3

Height mm	Length mm	Henrad Code	Heat emissions			
			DT50°C		DT62°C	
			Watts	Btu/hr	Watts	Btu/hr
500	444	263016	464	1583	617	2104
	858	263018	929	3170	1235	4213
	1042	263019	1135	3874	1508	5149
	1272	263020	1393	4755	1851	6319
	1456	263021	1600	5459	2126	7255
	1870	263022	2064	7044	2743	9361
600	444	263032	548	1871	728	2487
	628	263033	792	2702	1053	3591
	858	263034	1096	3741	1457	4972
	1042	263035	1340	4572	1781	6076
	1272	263036	1644	5609	2185	7454
	1456	263037	1888	6443	2509	8563
750	1870	263038	2436	8314	3237	11049
	858	263044	1337	4564	1777	6066
	1042	263045	1635	5579	2173	7414
	1272	263046	2006	6844	2666	9096
	1456	263047	2303	7858	3061	10443

## Column 4

Height mm	Length mm	Henrad Code	Heat emissions			
			DT50°C		DT62°C	
			Watts	Btu/hr	Watts	Btu/hr
500	858	263025	1217	4152	1617	5518
	1042	263026	1487	5074	1976	6743
	1272	263027	1825	6227	2425	8276
600	628	263040	1037	3538	1378	4702
	858	263041	1436	4900	1908	6512
	1042	263042	1756	5991	2334	7962
	1272	263043	2155	7353	2864	9772
750	628	263050	1266	4320	1683	5741
	858	263051	1753	5981	2330	7949
	1042	263052	2143	7312	2848	9718
	1272	263053	2630	8974	3495	11926

Working pressure:  
Tested to withstand 8 bar

# Everest Line





With its flat front panel featuring pleasing horizontal lines the Henrad Everest Line radiator offers contemporary good looks, adding a new dimension to any room.

For prices please contact your local independent stockist



## Everest Line

### Single Convector Type 11

Height mm	Length mm	Henrad Code	Heat emissions			
			DT50°C		DT62°C	
			Watts	Btu/hr	Watts	Btu/hr
500	600	3051106	448	1530	596	2033
	800	3051108	598	2040	795	2711
	1000	3051110	746	2545	991	3382
	1200	3051112	897	3060	1192	4067
	1400	3051114	1046	3570	1391	4745
600	600	3061106	522	1781	694	2367
	800	3061108	696	2375	925	3156
	1000	3061110	870	2968	1156	3944
	1200	3061112	1044	3562	1387	4734
	1400	3061114	1219	4158	1620	5526

Connections  
4 x 1/2" BSP connections

Working pressure:  
Tested to withstand 8 bar



## Everest Line

### Double Convector Type 22

Height mm	Length mm	Henrad Code	Heat emissions			
			DT50°C		DT62°C	
			Watts	Btu/hr	Watts	Btu/hr
500	600	3052206	833	2842	1107	3777
	800	3052208	1110	3787	1475	5033
	1000	3052210	1388	4736	1845	6294
	1200	3052212	1666	5684	2214	7554
	1400	3052214	1943	6630	2582	8811
600	600	3062206	961	3279	1277	4358
	800	3062208	1281	4371	1702	5809
	1000	3062210	1601	5463	2128	7260
	1200	3062212	1921	6554	2553	8710
	1400	3062214	2241	7646	2978	10162

Connections  
4 x 1/2" BSP connections

Working pressure:  
Tested to withstand 8 bar



# Alto Line



The Henrad Alto Line radiator incorporates all the features of the Henrad Everest Line but with a vertical line design.

For prices please contact your local independent stockist

Alto Line



## Alto Line

### Double Convector Type 22

Height mm	Length mm	Henrad Code	Heat emissions			
			Watts	DT50°C Btu/hr	DT62°C Watts	DT62°C Btu/hr
<b>1600</b>	300	3162203	693	2365	921	3143
	500	3162205	1155	3941	1535	5238
<b>1800</b>	500	3182205	1266	4320	1683	5741

Connections  
4 x 1/2" BSP connections

Working pressure:  
Tested to withstand 8 bar



# Compact

With a slim profile and smooth, white finish, Henrad Compact radiators will blend into any room in the house, to provide guaranteed heating performance.



## Compact

Single Convector Type 11  
Double Convector Type 22

Working pressure:  
Tested to withstand 8 bar




Type 11

Type 22

For prices  
please contact  
your local  
independent  
stockist



**SINGLE CONVECTOR TYPE 11**



**DOUBLE CONVECTOR TYPE 22**

Height mm	Length mm	Henrad Code	Heat emissions				Henrad Code	Heat emissions			
			Watts	DT50°C Btu/hr	Watts	DT62°C Btu/hr		Watts	DT50°C Btu/hr	Watts	DT62°C Btu/hr
<b>300</b>	500	2031105	255	868	339	1154	2032205	491	1675	653	2226
	1000	2031110	509	1737	676	2308	2032210	982	3351	1305	4453
	1500	2031115	764	2605	1015	3462	2032215	1473	5026	1958	6680
	2000	2031120	1018	3473	1353	4616	2032220	1964	6701	2610	8906
<b>500</b>	400	2051104	333	1136	442	1510	2052204	598	2040	795	2711
	500	2051105	417	1423	554	1891	2052205	747	2549	993	3388
	600	2051106	500	1706	665	2267	2052206	896	3057	1191	4063
	700	2051107	583	1989	775	2643	2052207	1046	3569	1390	4743
	800	2051108	666	2272	885	3019	2052208	1195	4077	1588	5418
	900	2051109	750	2559	997	3401	2052209	1345	4589	1787	6099
	1000	2051110	833	2842	1107	3777	2052210	1494	5098	1986	6775
	1100	2051111	916	3125	1217	4153	2052211	1643	5606	2184	7450
	1200	2051112	1000	3412	1329	4535	2052212	1793	6118	2383	8131
	1300	2051113	1083	3696	1440	4912	2052213	1943	6628	2582	8808
	1400	2051114	1166	3978	1549	5287	2052214	2092	7138	2780	9486
	1500	2051115	1249	4262	1660	5664	2052215	2241	7648	2979	10164
	1600	2051116	1333	4548	1771	6044	2052216	2390	8155	3176	10838
	1800	2051118	1499	5115	1992	6798	2052218	2689	9175	3574	12194
2000	2051120	1666	5684	2214	7554	2052220	2988	10195	3971	13549	
<b>600</b>	400	2061104	392	1338	521	1778	2062204	693	2364	921	3142
	500	2061105	490	1672	651	2222	2062205	866	2955	1151	3927
	600	2061106	588	2006	781	2666	2062206	1039	3546	1381	4713
	700	2061107	686	2341	912	3111	2062207	1212	4137	1611	5498
	800	2061108	784	2675	1042	3555	2062208	1386	4728	1842	6284
	900	2061109	882	3009	1172	3999	2062209	1559	5319	2072	7069
	1000	2061110	980	3344	1302	4444	2062210	1732	5910	2302	7854
	1100	2061111	1078	3678	1433	4888	2062211	1905	6501	2532	8640
	1200	2061112	1176	4013	1563	5333	2062212	2078	7092	2762	9425
	1400	2061114	1372	4681	1823	6221	2062214	2425	8273	3223	10995
	1600	2061116	1568	5350	2084	7110	2062216	2771	9455	3683	12566
	1800	2061118	1764	6019	2344	7999	2062218	3118	10637	4144	14137
	2000	2061120	1960	6688	2605	8888	2062220	3464	11819	4604	15707
	<b>700</b>	400	2071104	447	1527	594	2029	2072204	784	2676	1042
500		2071105	559	1906	743	2533	2072205	981	3345	1304	4446
600		2071106	670	2287	890	3039	2072206	1177	4015	1564	5336
700		2071107	782	2668	1039	3546	2072207	1373	4684	1825	6225
800		2071108	894	3049	1188	4052	2072208	1569	5353	2085	7114
900		2071109	1005	3430	1336	4558	2072209	1765	6022	2346	8003
1000		2071110	1117	3811	1484	5065	2072210	1961	6691	2606	8892
1100		2071111	1229	4192	1633	5571	2072211	2157	7360	2867	9781
1200		2071112	1340	4573	1781	6078	2072212	2353	8029	3127	10671
1400		2071114	1564	5336	2079	7092	2072214	2745	9367	3648	12449
1600		2071116	1787	6098	2375	8104	2072216	3138	10705	4170	14227
1800		2071118	2011	6860	2673	9117	2072218	3530	12044	4691	16006
2000		2071120	2234	7622	2969	10130	2072220	3922	13382	5212	1778

700mm high ex-factory stock item available upon request

# Technical Data


## Henrad Verona

### Wall Mounting Information

All dimensions in mm.


Henrad Verona Plane

Henrad Verona Vertical



Type	From back of radiator to wall D	From wall to centre of connections D1	From front of radiator to wall D2
Verona Plane Single	9	44	69
Verona Plane Double	27	94	119
Verona Vertical	25	44	70

### Henrad Verona Slimline



Type	Back face to finished wall D	From wall to centre of connections D1	From front of radiator to wall D2
Verona Slimline	35	50	130

## Henrad Column


### Wall Mounting Information

All dimensions in mm.

### Accessories

- 163061 Wall bracket retaining spring
- 163062 Wall bracket clamp for classic column
- 148137 Column feet set for 2, 3 & 4 column

Measurements using 10mm CVD Bracket Slot (add 5mm if using 15mm Slot)			
	WA	D	D2
2 Column	23	54	85
3 Column	23	73	123
4 Column	23	91	159



### Testing and Operating Pressures

Henrad Compact, Henrad Everest Line and Henrad Alto Line have been independently tested to ensure radiators perform to a maximum working pressure of 8 bar.

Henrad Verona has been independently tested to ensure radiators perform to a maximum working pressure of 6 bar.

Henrad Column has been independently tested to ensure radiators perform to a maximum working pressure of 8 bar.

### Connections

Henrad Compact and Henrad Everest Line have 4 x 1/2" BSP connections as standard.

Henrad Verona has 2x15mm connections (BOE) as standard.

Henrad Column has 1/2" BSP Top Bottom Opposite End Connections (TBOE) as standard.

### Paint Process

Two coat paint process, each Henrad radiator is subjected to a multi-stage cleaning and paint process. The final powder coat is warm white (RAL 9016) which is stoved and cooled to give a perfect finish.

### Water Treatment

Installation of the system should be properly flushed and fitted in accordance with the British Code of Practice for the Treatment of Water in Domestic Hot Water Central Heating Systems.

### Warranty


Henrad Compact comes with a 10 year manufacturer's guarantee.

Henrad Everest Line, Henrad Alto Line, Henrad Verona and Henrad Column come with a 5 year manufacturer's guarantee.


# Henrad Everest Line & Henrad Compact

## Wall Mounting Information

T11




T22



## Mounting Bracket Information

All dimensions in mm.




All dimensions in mm.

Height	300	500	600	700
A	65	65	65	65
B	119	99	99	99
C	N/A	319	419	519
D	153	333	453	553
E	185	385	485	585

# Henrad Alto Line


## Wall Mounting Information

All dimensions in mm.



## Mounting Bracket Information

All dimensions in mm.



Height	H2	H3	H4
1600	70	730	1390
1800	70	830	1590



# HENRAD

The Radiator



Henrad (UK) Limited, Marriott Road, Mexborough, South Yorkshire S64 8BN.  
Telephone: 0870 849 8056 Facsimile: 0870 849 8058



[www.henrad.co.uk](http://www.henrad.co.uk)