



Viega Profipress.
The Copper press system.

Price List
April 2016

 **Hevac**

www.hevac.ie


Info@hevac.ie


viega


Muirfield Drive,
Naas Road, D.12
Ph: 01 4191919


South Ring West Business Park,
Tramore Road, Cork
Ph: 021 4321066


Fury Park Ind. Estate,
Santry, D.9
Ph: 01 8427037


<u>Fitting</u>	<u>Model</u>	<u>Description</u>	<u>Size mm</u>	<u>Material</u>	<u>Type</u>	<u>List €</u>
Straight Coupler						
						
292690	2415	coupler with SC	15	Copper / dull	A1	2.47
292683	2415	coupler with SC	22	Copper / dull	A1	3.72
292676	2415	coupler with SC	28	Copper / dull	A1	7.17
292706	2415	coupler with SC	35	Copper / dull	A1	8.93
292713	2415	coupler with SC	42	Copper / dull	A1	16.84
292720	2415	coupler with SC	54	Copper / dull	A1	21.15
648435	2415XL	coupler with SC	66,7	Copper / dull	A1	81.89
477059	2415XL	coupler with SC	76,1	Copper / dull	A1	75.41
477073	2415XL	coupler with SC	108,0	Copper / dull	A1	109.52


Sliding Coupler						
						
461256	24153	sliding coupler with SC	15	Copper / dull	A1	2.68
461270	24153	sliding coupler with SC	22	Copper / dull	A1	3.79
461287	24153	sliding coupler with SC	28	Copper / dull	A1	6.96
461294	24153	sliding coupler with SC	35	Copper / dull	A1	9.10
461317	24153	sliding coupler with SC	42	Copper / dull	A1	16.60
461300	24153	sliding coupler with SC	54	Copper / dull	A1	21.45
648442	24155XL	sliding coupler with SC	66,7	Copper / dull	A1	106.17
477080	24155XL	sliding coupler with SC	76,1	Copper / dull	A1	112.23
477103	24155XL	sliding coupler with SC	108,0	Copper / dull	A1	150.86


Reducing Coupler						
						
325794	24152	reducing coupler with SC	22 x 15	Copper / dull	A1	11.15
325817	24152	reducing coupler with SC	28 x 22	Copper / dull	A1	12.58
328269	24152	reducing coupler with SC	35 x 28	Copper / dull	A1	17.74
328252	24152	reducing coupler with SC	42 x 35	Copper / dull	A1	26.33
328276	24152	reducing coupler with SC	54 x 42	Copper / dull	A1	29.51

Reducer						
						
296377	24151	reduction piece with SC	22 x 15	Copper / dull	A1	2.65
296469	24151	reduction piece with SC	28 x 15	Copper / dull	A1	6.79
296506	24151	reduction piece with SC	28 x 22	Copper / dull	A1	7.14
296452	24151	reduction piece with SC	35 x 22	Copper / dull	A1	8.42
296490	24151	reduction piece with SC	35 x 28	Copper / dull	A1	9.21
296445	24151	reduction piece with SC	42 x 22	Copper / dull	A1	14.43
296483	24151	reduction piece with SC	42 x 28	Copper / dull	A1	14.06
296476	24151	reduction piece with SC	42 x 35	Copper / dull	A1	14.04
366476	24151	reduction piece with SC	54 x 28	Copper / dull	A1	29.55
296438	24151	reduction piece with SC	54 x 35	Copper / dull	A1	19.17
296421	24151	reduction piece with SC	54 x 42	Copper / dull	A1	18.34
648473	24151XL	reduction piece with SC	66,7 X 28	Copper / dull	A1	64.13
648480	24151XL	reduction piece with SC	66,7 X 35	Copper / dull	A1	70.90
648466	24151XL	reduction piece with SC	66,7 x 42	Copper / dull	A1	77.71
648459	24151XL	reduction piece with SC	66,7 X 54	Copper / dull	A1	84.39
477110	24151XL	reduction piece with SC	76,1 x 54	Copper / dull	A1	64.71
477141	24151XL	reduction piece with SC	108,0 x 54	Copper / dull	A1	73.37
648497	24151XL	reduction piece with SC	108 X 66,7	Copper / dull	A1	173.21
477158	24151XL	reduction piece with SC	108,0 x 76,1	Copper / dull	A1	98.75

<u>Fitting</u>	<u>Model</u>	<u>Description</u>	<u>Size mm</u>	<u>Material</u>	<u>Type</u>	<u>List €</u>
Straight Adaptor to Male Thread						
						
105044	2211	male adapter piece with SC	15 x 1/2	Bronze / dull	A1	2.75
287764	2211	male adapter piece with SC	15 x 3/4	Bronze / dull	A1	5.71
297961	2211	male adapter piece with SC	22 x 1/2	Bronze / dull	A1	5.90
104306	2211	male adapter piece with SC	22 x 3/4	Bronze / dull	A1	5.29
287771	2211	male adapter piece with SC	22 x 1	Bronze / dull	A1	7.10
297954	2211	male adapter piece with SC	28 x 3/4	Bronze / dull	A1	16.20
106508	2211	male adapter piece with SC	28 x 1	Bronze / dull	A1	9.89
297978	2211	male adapter piece with SC	28 x 1 1/4	Bronze / dull	A1	20.39
297947	2211	male adapter piece with SC	35 x 1	Bronze / dull	A1	22.56
110352	2211	male adapter piece with SC	35 x 1 1/4	Bronze / dull	A1	21.63
314651	2211	male adapter piece with SC	35 x 1 1/2	Bronze / dull	A1	23.40
297930	2211	male adapter piece with SC	42 x 1 1/4	Bronze / dull	A1	31.64
115340	2211	male adapter piece with SC	42 x 1 1/2	Bronze / dull	A1	30.29
314668	2211	male adapter piece with SC	54 x 1 1/2	Bronze / dull	A1	51.15
195267	2211	male adapter piece with SC	54 x 2	Bronze / dull	A1	58.49
648510	2411XL	male adaptor piece	66.7 x 2 1/2"	Bronze / dull	A1	202.96
350659	2211XL	male adapter piece	76,1 x 2 1/2	Bronze / dull	A1	156.41
350673	2211XL	male adapter piece	108,0 x 4	Bronze / dull	A1	226.42

Straight Adapter to Female Thread						
						
107543	2212	female adapter piece with SC	15 x 1/2	Bronze / dull	A1	3.47
298098	2212	female adapter piece with SC	15 x 3/4	Bronze / dull	A1	7.17
298067	2212	female adapter piece with SC	22 x 1/2	Bronze / dull	A1	5.31
108465	2212	female adapter piece with SC	22 x 3/4	Bronze / dull	A1	5.82
298128	2212	female adapter piece with SC	22 x 1	Bronze / dull	A1	8.67
114329	2212	female adapter piece with SC	28 x 1	Bronze / dull	A1	10.70
298104	2212	female adapter piece with SC	28 x 1 1/4	Bronze / dull	A1	19.71
298111	2212	female adapter piece with SC	35 x 1	Bronze / dull	A1	24.05
116774	2212	female adapter piece with SC	35 x 1 1/4	Bronze / dull	A1	23.74
298050	2212	female adapter piece with SC	42 x 1 1/4	Bronze / dull	A1	35.57
124236	2212	female adapter piece with SC	42 x 1 1/2	Bronze / dull	A1	34.48
365097	2212	female adapter piece with SC	54 x 1 1/2	Bronze / dull	A1	39.80
195304	2212	female adapter piece with SC	54 x 2	Bronze / dull	A1	60.02

90 deg Elbow						
						
291501	2416	elbow 90° with SC	15	Copper / dull	A1	2.65
291518	2416	elbow 90° with SC	22	Copper / dull	A1	4.34
291525	2416	elbow 90° with SC	28	Copper / dull	A1	10.02
291532	2416	elbow 90° with SC	35	Copper / dull	A1	18.25
291549	2416	elbow 90° with SC	42	Copper / dull	A1	35.65
291556	2416	elbow 90° with SC	54	Copper / dull	A1	47.66
645137	2416XL	elbow 90° with SC	67,1	Copper / dull	A1	149.56
476847	2416XL	elbow 90° with SC	76,1	Copper / dull	A1	116.76
476861	2416XL	elbow 90° with SC	108,0	Copper / dull	A1	193.96

90 Deg Elbow Male/Female						
						
291662	24161	elbow 90° MF with SC	15	Copper / dull	A1	2.46
291679	24161	elbow 90° MF with SC	22	Copper / dull	A1	4.44
291686	24161	elbow 90° MF with SC	28	Copper / dull	A1	10.02
291693	24161	elbow 90° MF with SC	35	Copper / dull	A1	18.02

<u>Fitting</u>	<u>Model</u>	<u>Description</u>	<u>Size mm</u>	<u>Material</u>	<u>Type</u>	<u>List €</u>
291709	24161	elbow 90° MF with SC	42	Copper / dull	A1	35.65
291716	24161	elbow 90° MF with SC	54	Copper / dull	A1	47.66
648350	24161XL	elbow 90° MF with SC	67,1	Copper / dull	A1	144.74
476878	24161XL	elbow 90° MF with SC	76,1	Copper / dull	A1	116.76
476892	24161XL	elbow 90° MF with SC	108,0	Copper / dull	A1	193.96



90 Deg Elbow to Male Thread

112950	2214	elbow 90° male with SC	15 x 1/2	Bronze / dull	A1	13.13
443030	2214	elbow 90° male with SC	15 x 3/4	Bronze / dull	A1	16.34
115623	2214	elbow 90° male with SC	22 x 3/4	Bronze / dull	A1	21.23
118730	2214	elbow 90° male with SC	28 x 1	Bronze / dull	A1	31.80
127329	2214	elbow 90° male with SC	35 x 1 1/4	Bronze / dull	A1	42.25
128500	2214	elbow 90° male with SC	42 x 1 1/2	Bronze / dull	A1	57.72
197988	2214	elbow 90° male with SC	54 x 2	Bronze / dull	A1	81.65



90 Deg Elbow to Female Thread

108441	22142	elbow 90° female with SC	15 x 1/2	Bronze / dull	A1	8.21
314385	22142	elbow 90° female with SC	15 x 3/4	Bronze / dull	A1	18.71
298234	22142	elbow 90° female with SC	22 x 1/2	Bronze / dull	A1	21.77
283711	22142	elbow 90° female with SC	22 x 3/4	Bronze / dull	A1	12.86
314378	22142	elbow 90° female with SC	22 x 1	Bronze / dull	A1	20.39
446611	22142	elbow 90° female with SC	28 x 3/4	Bronze / dull	A1	22.84
283728	22142	elbow 90° female with SC	28 x 1	Bronze / dull	A1	23.40
283704	22142	elbow 90° female with SC	35 x 1 1/4	Bronze / dull	A1	38.62
299415	22142	elbow 90° female with SC	42 x 1 1/2	Bronze / dull	A1	49.75
299422	22142	elbow 90° female with SC	54 x 2	Bronze / dull	A1	79.05




45 Deg Elbow


292348	2426	elbow 45° with SC	15	Copper / dull	A1	2.89
292355	2426	elbow 45° with SC	22	Copper / dull	A1	3.79
292362	2426	elbow 45° with SC	28	Copper / dull	A1	11.92
292379	2426	elbow 45° with SC	35	Copper / dull	A1	17.18
292386	2426	elbow 45° with SC	42	Copper / dull	A1	27.89
292393	2426	elbow 45° with SC	54	Copper / dull	A1	39.16
645144	2426XL	elbow 45° with SC	67,1	Copper / dull	A1	139.07
476908	2426XL	elbow 45° with SC	76,1	Copper / dull	A1	111.39
476922	2426XL	elbow 45° with SC	108,0	Copper / dull	A1	181.32




45 Deg Elbow Male/Female

292508	24261	elbow 45° MF with SC	15	Copper / dull	A1	2.39
292515	24261	elbow 45° MF with SC	22	Copper / dull	A1	3.46
292522	24261	elbow 45° MF with SC	28	Copper / dull	A1	11.82
292539	24261	elbow 45° MF with SC	35	Copper / dull	A1	16.60
292546	24261	elbow 45° MF with SC	42	Copper / dull	A1	26.01
292553	24261	elbow 45° MF with SC	54	Copper / dull	A1	38.62
648367	24261XL	elbow 45° MF with SC	67,1	Copper / dull	A1	123.23
476939	24261XL	elbow 45° MF with SC	76,1	Copper / dull	A1	102.42
476953	24261XL	elbow 45° MF with SC	108,0	Copper / dull	A1	167.05

<u>Fitting</u>	<u>Model</u>	<u>Description</u>	<u>Size mm</u>	<u>Material</u>	<u>Type</u>	<u>List €</u>
Equal Tee						
						
291952	2418	t-piece with SC	15	Copper / dull	A1	3.97
291969	2418	t-piece with SC	22	Copper / dull	A1	6.96
291976	2418	t-piece with SC	28	Copper / dull	A1	12.67
291983	2418	t-piece with SC	35	Copper / dull	A1	21.45
291990	2418	t-piece with SC	42	Copper / dull	A1	41.61
292003	2418	t-piece with SC	54	Copper / dull	A1	51.48
648374	2418XL	t-piece with SC	67,1	Copper / dull	A1	178.17
476960	2418XL	t-piece with SC	76,1	Copper / dull	A1	210.11
477011	2418XL	t-piece with SC	108,0	Copper / dull	A1	283.75

Reducing Tee						
						
322700	2418	t-piece with SC	15 x 22 x 15	Copper / dull	A1	13.50
292010	2418	t-piece with SC	22 x 15 x 15	Copper / dull	A1	10.99
292027	2418	t-piece with SC	22 x 15 x 22	Copper / dull	A1	5.89
315047	2418	t-piece with SC	22 x 22 x 15	Copper / dull	A1	11.25
322687	2418	t-piece with SC	22 x 28 x 22	Copper / dull	A1	22.52
324841	2418	t-piece with SC	28 x 15 x 22	Copper / dull	A1	22.16
295189	2418	t-piece with SC	28 x 15 x 28	Copper / dull	A1	14.43
307899	2418	t-piece with SC	28 x 22 x 22	Copper / dull	A1	19.07
295196	2418	t-piece with SC	28 x 22 x 28	Copper / dull	A1	14.35
315016	2418	t-piece with SC	28 x 28 x 22	Copper / dull	A1	21.95
324865	2418	t-piece with SC	35 x 15 x 35	Copper / dull	A1	21.23
324889	2418	t-piece with SC	35 x 22 x 28	Copper / dull	A1	31.77
292034	2418	t-piece with SC	35 x 22 x 35	Copper / dull	A1	19.48
324896	2418	t-piece with SC	35 x 28 x 28	Copper / dull	A1	31.26
292041	2418	t-piece with SC	35 x 28 x 35	Copper / dull	A1	20.52
365882	2418	t-piece with SC	35 x 35 x 22	Copper / dull	A1	31.50
365080	2418	t-piece with SC	35 x 35 x 28	Copper / dull	A1	30.12
324902	2418	t-piece with SC	42 x 22 x 42	Copper / dull	A1	37.22
292058	2418	t-piece with SC	42 x 28 x 42	Copper / dull	A1	37.79
292065	2418	t-piece with SC	42 x 35 x 42	Copper / dull	A1	39.16
324919	2418	t-piece with SC	54 x 22 x 54	Copper / dull	A1	58.46
324926	2418	t-piece with SC	54 x 28 x 54	Copper / dull	A1	60.27
324933	2418	t-piece with SC	54 x 35 x 54	Copper / dull	A1	62.52
292072	2418	t-piece with SC	54 x 42 x 54	Copper / dull	A1	46.80
648411	2418XL	t-piece with SC	66,7 X 28 X 66,7	Copper / dull	A1	183.65
648381	2418XL	t-piece with SC	66,7 X 35 X 66,7	Copper / dull	A1	198.39
648404	2418XL	t-piece with SC	66,7 X 42 X 66,7	Copper / dull	A1	229.18
648398	2418XL	t-piece with SC	66,7 X 54 X 66,7	Copper / dull	A1	245.21

Tee with Male Thread Branch						
						
194123	22171	t-piece male with SC	22 x 3/4 x 22	Bronze / dull	A1	31.72
194130	22171	t-piece male with SC	28 x 3/4 x 28	Bronze / dull	A1	37.42
194147	22171	t-piece male with SC	35 x 3/4 x 35	Bronze / dull	A1	42.26
273231	22171	t-piece male with SC	42 x 3/4 x 42	Bronze / dull	A1	47.17
310929	22171	t-piece male with SC	54 x 1 x 54	Bronze / dull	A1	69.79
310936	22171	t-piece male with SC	54 x 1 1/4 x 54	Bronze / dull	A1	70.95

<u>Fitting</u>	<u>Model</u>	<u>Description</u>	<u>Size mm</u>	<u>Material</u>	<u>Type</u>	<u>List €</u>
----------------	--------------	--------------------	----------------	-----------------	-------------	---------------

Muirfield Drive,
Naas Road, D.12
Ph: 01 4191919

South Ring West Business Park,
Tramore Road, Cork
Ph: 021 4321066

Fury Park Ind. Estate,
Santry, D.9
Ph: 01 8427037

Tee with Female Thread Branch



115630	22172	t-piece female with SC	15 x 1/2 x 15	Bronze / dull	A1	12.53
115944	22172	t-piece female with SC	22 x 1/2 x 22	Bronze / dull	A1	17.63
313975	22172	t-piece female with SC	22 x 3/4 x 22	Bronze / dull	A1	25.27
119768	22172	t-piece female with SC	28 x 1/2 x 28	Bronze / dull	A1	22.06
313968	22172	t-piece female with SC	28 x 3/4 x 28	Bronze / dull	A1	28.61
121945	22172	t-piece female with SC	35 x 1/2 x 35	Bronze / dull	A1	30.79
361204	22172	t-piece female with SC	35 x 1 x 35	Bronze / dull	A1	32.69
126230	22172	t-piece female with SC	42 x 1/2 x 42	Bronze / dull	A1	37.36
361211	22172	t-piece female with SC	42 x 1 x 42	Bronze / dull	A1	40.68
197353	22172	t-piece female with SC	54 x 1/2 x 54	Bronze / dull	A1	44.54
361228	22172	t-piece female with SC	54 x 1 x 54	Bronze / dull	A1	56.32

Easytop Ballvalve



475857	2270	ball valve with SC-Contur	15	Bronze / dull	A1	31.09
475871	2270	ball valve with SC-Contur	22	Bronze / dull	A1	47.17
475888	2270	ball valve with SC-Contur	28	Bronze / dull	A1	73.41
475895	2270	ball valve with SC-Contur	35	Bronze / dull	A1	149.00
475918	2270	ball valve with SC-Contur	42	Bronze / dull	A1	218.65
475925	2270	ball valve with SC-Contur	54	Bronze / dull	A1	376.14

Tools

Clamping Jaw for Small Pressgun 24872



485511	24849	clamping jaw	15	Steel / black	P1	258.36
485535	24849	clamping jaw	22	Steel / black	P1	258.36
485542	24849	clamping jaw	28	Steel / black	P1	258.36
650070	24849	clamping jaw	35	Steel / black	P1	271.90

Clamping Jaw & Pressring for Large Pressgun 22982



461898	22999	clamping jaw	15	Steel / black	P1	366.60
461911	22999	clamping jaw	22	Steel / black	P1	366.60
461928	22999	clamping jaw	28	Steel / black	P1	366.60
461935	22999	clamping jaw	35	Steel / black	P1	406.08
313012	22996	clamping jaw set	12 - 35	Steel / black	P1	1,911.00
262211	22994	clamping jaw set	42/54	Steel / black	P1	1,305.00
472740	22962	tension jaw	66,7 - 108	Steel / black	P1	725.35
650629	24972XL	pressring	66,7	Steel / dull	P1	1,057.00
562878	24972XL	pressring	76,1	Steel / dull	P1	1,092.00
562892	24972XL	pressring	108,0	Steel / dull	P1	1,219.00
562854	24973XL	pressring with tension jaw set	76,1 - 108	Steel / black	P1	4,347.00

Pressgun Tool



622404	24872	Viega Pressgun Tool without Jaws	15-35	Steel / diverse	P1	P.O.A
612030	22982	Viega Pressgun Tool without Jaws	15-108	Steel / diverse	P1	P.O.A

h Hevac

www.hevac.ie

viega

Muirfield Drive,
Naas Road, D.12
Ph: 01 4191919

South Ring West Business Park,
Tramore Road, Cork
Ph: 021 4321066

Fury Park Ind. Estate,
Santry, D.9
Ph: 01 8427037